

What is claimed is:

1 1. An apparatus comprising:
2 an interface to receive video; and
3 a controller to:
4 display at least one object and the video;
5 and
6 adjusting a position of the at least one
7 object in response to displaying the video.

1 2. The apparatus of claim 1, wherein the controller
2 adjusts the position of at least one of an image or text in
3 response to displaying the video.

1 3. The apparatus of claim 1, wherein the controller
2 adjusts the position of the object in response to adjusting
3 at least one of location and size of the video.

1 4. The apparatus of claim 1, wherein the controller
2 allows the video to be displayed while the contents of the
3 object are updated.

1 5. The apparatus of claim 1, wherein the controller
2 displays the video in a window of at least one of a word
3 processor, an application to browse the Internet, and
4 electronic mail processing application.

1 6. The apparatus of claim 1, wherein the interface
2 receives the video over a wireless link.

1 7. The apparatus of claim 1, wherein the interface
2 comprises at least one of a television tuner card and a
3 disk drive.

1 8. The apparatus of claim 1, wherein the interface
2 receives the video over a network.

1 9. The apparatus of claim 1, wherein the interface
2 receives the video over a universal serial bus.

1 10. A method, comprising:
2 displaying an object on a display; and
3 adjusting the object on the display in response
4 to displaying video on the display.

1 11. The method of claim 10, wherein displaying the
2 object comprises displaying at least one of text and image
3 on the display.

1 12. The method of claim 10, wherein adjusting the
2 object comprises arranging the object in a manner so that
3 both the video and the object are viewable.

1 13. The method of claim 10, further comprising
2 adjusting the object in response to moving the video on the
3 display.

1 14. The method of claim 10, further comprising
2 adjusting the object in response to altering the size of
3 the video on the display.

1 15. The method of claim 10, wherein adjusting the
2 object comprises adjusting the object in response to
3 displaying video received from a disk drive.

1 16. The method of claim 10, wherein adjusting the
2 object comprises adjusting the object in response to
3 displaying video received over at least one of a network a
4 universal serial bus, and a wireless link.

1 17. An article comprising one or more machine-
2 readable storage media containing instructions that when
3 executed enable a processor to:

4 display video in a window; and
5 display text in the window, wherein the text is
6 displayed in a manner that allows both the text and the
7 video to be viewable in the window.

1 18. The article of claim 17, wherein the instructions
2 when executed enable the processor to display the video in
3 the window of an Internet browsing application.

1 19. The article of claim 17, wherein the instructions
2 when executed enable the processor to display the video in
3 the window of at least one of a word processor and
4 electronic mail application.

1 20. The article of claim 17, wherein the instructions
2 when executed enable the processor to adjust the text in

3 the window in response to changing the position of the
4 video in the window.

1 21. The article of claim 20, wherein the instructions
2 when executed enable the processor to adjust the text in
3 the window in response to altering the size of the video in
4 the window.

1 22. The article of claim 17, wherein the instructions
2 when executed enable the processor to display the video
3 received from at least one of a wireless link, a network, a
4 disk drive, and a universal serial bus.

1 23. A method comprising:
2 displaying text in a window of a software
3 application executing on a processor-based device;
4 displaying video in the window of the software
5 application; and
6 arranging the text, in response to displaying the
7 video in the window, in a manner that both the text and
8 video are viewable.

1 24. The method of claim 23, further comprising
2 displaying one or more images in the window, wherein the
3 text, the one or more images, and the video are viewable
4 substantially simultaneously viewable.

1 25. The method of claim 23, further re-sizing the
2 video in the window and arranging the text in response to
3 re-sizing the video in the window in a manner that both the
4 text and re-sized video are in view.

1 26. An apparatus, comprising:
2 an interface to receive a video signal;
3 a controller to:
4 display a web browser application having at
5 least text;
6 display the video signal in a video portion
7 of the web browser application; and
8 adjust the at least text in response to
9 displaying the video portion to allow both the text and the
10 video signal to be viewed substantially simultaneously.

1 27. The system of claim 26, wherein the controller:
2 allows re-sizing the video portion in the web
3 browser application; and
4 adjusts the text in response to re-sizing the
5 video portion.

1 28. The system of claim 26, wherein the controller:
2 allows moving of the video portion within the web
3 browser application; and
4 adjusts the text in response to moving the video
5 portion within the web browser application.

1 29. An article comprising one or more machine-
2 readable storage media containing instructions that when
3 executed enable a processor to:
4 display a first object in a window;
5 display a second object in the window; and
6 enable scrolling of the first object in the
7 window, wherein the first object scrolls around the second
8 object in response to scrolling.

1 30. The article of claim 29, wherein the instructions
2 when executed enable the processor to display the first
3 object comprising at least text and to display the second
4 object comprising video.